

ENGELHARD CORP

-- GENERAL PURPOSE, PASTE SOLDERING FLUX, GPL-FL

=====
MSDS Safety Information
=====

FSC: 3439
MSDS Date: 02/25/1993
MSDS Num: BWFTW
LIIN: 00N056136
Product ID: GENERAL PURPOSE, PASTE SOLDERING FLUX, GPL-FLUX
MFN: 01
Responsible Party
Cage: ENGEL
Name: ENGELHARD CORP
Address: 235 KILVERT ST
City: WARWICK RI 02886
Info Phone Number: 401-739-9550
Emergency Phone Number: 800-424-9300 (CHEMTREC)
Published: Y
=====

=====
Contractor Summary
=====

Cage: 86337
Name: ENGELHARD CORP
Address: 235 KILVERT ST
City: WARWICK RI 02886
Phone: 401-739-9550
Cage: ENGEL
Name: ENGELHARD CORP
Address: 29001 SOLON RD
City: SOLON OH 44139
Phone: 216-292-9200
=====

=====
Ingredients
=====

Cas: 8009-03-8
RTECS #: SE6780000
Name: PETROLATUM
% Wt: 70.8
OSHA PEL: 2 MG/M3 (MFR)
ACGIH TLV: 2 MG/M3 (MFR)

Cas: 7646-85-7
RTECS #: ZH1400000
Name: ZINC CHLORIDE (SARA 313) (CERCLA)
% Wt: 25.3
OSHA PEL: 1 MG/M3
ACGIH TLV: 1MG/M3/2 STEL (FUME)
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

Name: SUPDAT:DISP OF MATL SHOULD BE I/A/W DISPOSAL CONSIDERATIONS.

Name: WASTE DISP METH:PART 261 ET SEQ. DISP/RECYCLING/RECLAMATION
REQUIREMENTS
WILL VARY BY LOCATION & TYPES OF DISP

Name: ING 4:SELECTED. CONSULT W/STATE, FEDERAL AND LOCAL REGULATORY AUTH.

NOTE:CHEM ADDNS, PROCESSING/OTHERWISE

Name: ING 5:ALTERING THIS MATL MAY MAKE WASTE MANAGEMENT INFO PRESENTED ABOVE
INCOMPLETE, INACCURATE/OTHERWISE

Name: ING 6:INAPPROP. AS LOCAL REGS MAY VARY; ALL WASTE MUST BE
DISP/RECYCLED/RECLAIMED I/Q/W FED, ST, & LOC ENVIRON

Name: ING 7:CONTROL REGULATIONS.

Name: EYE PROT:& FULL LENGTH FACESHIELD (FP N).
=====

Health Hazards Data
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE:EYE:CAUSES IRRITATION & MAY CAUSE BURNS.

SKIN:CAUSES IRRITATION & MAY CAUSE BURNS. SENSITIZATION & ALLERGIC
REACTIONS ARE POSSIBLE. INHALATION OF MISTS IS SEVERELY IRRITATING TO
RESPIRATORY TRACT & CAN CAUSE BURNING SENSATION, COUGHIN G, WHEEZING,
BRONCHITIS, PNEUMONITIS & PULMONARY EDEMA. MAY (EFTS OF OVEREXP)

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Symptions Of Overexposure: HLTH HAZ:CAUSE ALLERGIC RESPIRATORY
REACTIONS. INGESTION IS HARMFUL. CAN CAUSE SEVERE IRRITATION & POSSIBLE
BURNS TO MUCOUS MEMBRANES. MAY CAUSE SEVERE ABDOMINAL PAIN, VOMITING &
DIARRHEA. CHRONIC:PROLONGED/REPEATED OVEREXPOSURE MAY CAUSE LUNG DAMAGE.
OVEREXPOSURE MAY CAUSE DELAYED KIDNEY INJURY.

Medical Cond Aggravated By Exposure: MAY AGGRAVATE EXISTING RESPIRATORY
AND/OR SKIN AILMENTS.

First Aid: EYE:IMMED FLUSH W/PLENTY OF WATER FOR @ LEAST 30 MINS. HOLD
EYELIDS OPEN DURING THIS FLUSHING W/WATER. CALL PHYS IMMED. SKIN:FLUSH
W/PLENTY OF WATER. IF IRRIT PERSISTS, CALL PHYS. INHAL:REMOVE TO FRESH AIR.
IF NOT BRTHG,GIVE ARTF RESP, PRE F MOUTH-TO-MOUTH. IF BRTHG IS DFCLT, GIVE
OXYG. CALL PHYS. INGEST:IF SWALLOWED, DO NOT INDUCE VOMIT. GIVE LG QTYS OF
WATER. CALL PHYS IMMED. NEVER (SUPDAT)

Handling and Disposal
=====

Spill Release Procedures: CONTAIN SPILLAGE & SCOOP UP/VACUUM. NOTIFICATION
OF NATL RESPONSE CENTER (800/424-8802) MAY BE REQD. REFER TO EPA, DOT &
APPLIC ST & LOCAL REGS FOR CURRENT RESPONSE INFO. IT IS REC THAT EACH
USER ESTABLISH SPILL PREVENTION, CONTROL & (SUPDA T)

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: EPA WASTE #:D002. THIS PROD MAY BE HAZ WASTE UNDER
EPA WASTE REGS (SEE EPA WASTE ABOVE). BEFORE DISP, THIS PROD/MIX CONTAINING
THIS PROD SHOULD BE TESTED FOR TOX CHARACTS (TC) UNDER CURRENT EPA HAZ
WASTE REGS TCLP TESTING PROCEDURES, 40 CFR

Handling And Storage Precautions: KEEP AWAY FROM FOOD & FEED PRODS. STORE
IN TIGHTLY CLSD CNTNR. STORE IN COOL, DRY LOCATION AWAY FROM INCOMPATIBLE
MATLS.

Other Precautions: AVOID CONT W/ANY DUSTS, MISTS/FUMES RSLTG FROM USE OFTHIS
PROD. WASH CONTAMD CLTHG BEFORE REUSE. PROVIDE SFTY SHOWER & EYE

WASHCLOSE TO WHERE THIS MATL IS BEING USED.

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: >356F,>180C

Extinguishing Media: USE WATER, CARBON DIOXIDE OR FOAM.

Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: NOT A FIRE OR EXPLOSION HAZARD. HOWEVER, TOXIC EMISSIONS ARE POSSIBLE IN A FIRE SITUATION.

=====
Control Measures
=====

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE

OF CONCERN (FP N).

Ventilation: GENERAL, LOC EXHAUST VENT AS NEC TO CONTROL ANY AIR CONTAMINANTS TO W/IN THEIR TLVS DURING USE OF THIS PRODUCT.

Protective Gloves: RUBBER/NEOPRENE GLOVES.

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS

Other Protective Equipment: BODY PROTECTION AS NEC TO PVNT SKIN CONT. EMERGENCY

EYEWASH & DELUGE SHOWER WHICH MEET ANSI DESIGN STANDARDS (FP N).

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health: FIRST AID PROC:GIVE ANYTHING BY MOUTH TO UNCON PESON. SPILL RELEASE:COUNTERMEASURE PLAN (SPCC). SUCH PLAN SHOULD INCL PROCEDURES REUSE/DISP AS APPROP. NOTE:IN EVENT OF AN ACCIDENTAL RELEASE OF THIS MATL, ABOVE PROCEDURES SHOULD BE FOLLOWED. ADDNLY PROPER EXPOS CONTROLS & PERSONAL PROT EQUIP SHOULD BE USED &

=====
Physical/Chemical Properties
=====

B.P. Text: 165F,74C

M.P/F.P Text: 216F,102C

Vapor Pres: <10 @ 20C

Spec Gravity: 1.4 (H*20=1)

PH: 1.8

Evaporation Rate & Reference: NOT KNOWN

Solubility in Water: INSOLUBLE

Appearance and Odor: AMBER JELLY; ODORLESS

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: NONE EXPECTED.

Materials To Avoid: ALKALIES, OXIDIZERS.

Hazardous Decomposition Products: HYDROGEN CHLORIDE, ZINC OXIDE AND OXIDES OF CARBON.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT.

=====
Toxicological Information
=====

=====
Ecological Information
=====

MSDS Transport Information

Regulatory Information

Other Information

HAZCOM Label

Product ID: GENERAL PURPOSE, PASTE SOLDERING FLUX, GPL-FLUX
Cage: ENGEL
Assigned IND: Y
Company Name: ENGELHARD CORP
Street: 29001 SOLON RD
City: SOLON OH
Zipcode: 44139
Health Emergency Phone: 800-424-9300 (CHEMTREC)
Label Required IND: Y
Date Of Label Review: 12/30/1994
Status Code: C
Label Date: 12/30/1994
Origination Code: G
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: YES
Health Hazard: Moderate
Contact Hazard: Severe
Fire Hazard: Slight
Reactivity Hazard: None
Hazard And Precautions: COMBUSTIBLE. ACUTE:EYE:CAUSES IRRITATION & MAY CAUSE BURNS. SKIN:CAUSES IRRITATION & MAY CAUSE BURNS. SENSITIZATION & ALLERGIC REACTIONS ARE POSSIBLE. INHALATION OF MISTS IS SEVERELY IRRITATING TO RESPIRATORY TRACT & CAN CAUSE BURNING SENSATION, COUGHING, WHEEZING, BRONCHITIS, PNEUMONITIS & PULMONARY EDEMA. MAY CAUSE ALLERGIC RESP REACTIONS. INGEST:HARMFUL. CAN CAUSE SEVERE IRRITATION & POSSIBLE BURNS TO MUCOUS MEMBRANES, SEVERE ABDOMINAL PAIN, VOMITING, DIARRHEA. CHRONIC:LUNG & KIDNEY DAMAGE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.