

BARNES GROUP BOWMAN DISTRIBUTI -- 21512 RTV SILICONE RED GASKET 3 OZ TUBE

=====
MSDS Safety Information
=====

FSC: 8040
MSDS Date: 07/09/1996
MSDS Num: CCZWT
LIIN: 00F052050
Product ID: 21512 RTV SILICONE RED GASKET 3 OZ TUBE
MFN: 01
Responsible Party
Cage: 05573
Name: BARNES GROUP INC BOWMAN DISTRIBUTION DIV
Address: 850 EAST 72ND STREET
City: CLEVELAND OH 44103-5000
Info Phone Number: 303-623-5716/216-391-7200
Emergency Phone Number: 303-623-5716/216-391-7200
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 05573
Name: BOWMAN DISTRIBUTION, BARNES GROUP INC
Address: 1301 EAST 9TH ST, SUITE 700
City: CLEVELAND OH 44114-1824

=====
Contractor Summary
=====

Cage: 05573
Name: BOWMAN DISTRIBUTION, BARNES GROUP INC
Address: 1301 EAST 9TH ST, SUITE 700
City: CLEVELAND OH 44114-1824
Phone: 216-416-7200

=====
Ingredients
=====

Cas: 63148-62-9
RTECS #: JT6484500
Name: DIMETHYL POLYSILOXANE (MONOMER: DIMETHYL SILOXANE), SILICONE FLUID, DOW CORNING 200, POLYMETHYLSILOXANE * 96-3 *

RTECS #: 1014833PO
Name: POLYDIMETHYLSILOXANE FLUIDS

RTECS #: 1014834AC
Name: ACETOXY SILANE CURING AGENTS

RTECS #: 1002968IF
Name: INERT FILLERS AND PIGMENT

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: NO
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: IRRITATION TO RESPIRATORY, EYES & SKIN.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: IRRITATION.

First Aid: EYES: WIPE W/COTTON. FLUSH W/WATER FOR 15 MINS. SKIN: SCRAPE OFF EXCESS, WASH W/SOAP & LARGE VOLUME OF WATER. INHALATION: REMOVE TO FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Handling and Disposal
=====

Spill Release Procedures: RECOVER MATERIAL & TRANSFER TO A STEEL DRUM/OTHER APPROPRIATE CONTAINER. USE ABSORBENTS IF NECESSARY.

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: STORE IN COOL, DRY AREA IN THIGHTLY CLOSED CONTAINERS. ROTATE STOCK.

Other Precautions: PRODUCT EMITS ACETIC ACID VAPORS BEFORE & DURING CURE.AVOID BREATHING VAPORS, CONTACT W/SKIN & EYES.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC

Flash Point Text: 302F

Extinguishing Media: WATER FOG, CHEMICAL FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures: WEAR SCBA. USE CO2/DRY CHEMICAL FOR SMALL FIRES TO AVOID SHOCK DAMAGE.

Unusual Fire/Explosion Hazard: NONE

=====
Control Measures
=====

Respiratory Protection: WEAR NIOSH/MSHA APPROVED AIR RESPIRATOR W/APPROPRIATE CARTRIDGES.

Ventilation: LOCAL EXHAUST IN CONFINED AREAS. MECHANICAL (GENERAL) IS SUFFICIENT TO REMOVE ACETIC ACID VAPORS.

Protective Gloves: IMPERVIOUS

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment: WORK UNIFORM, EYE WASH FOUNTAIN & SAFETY SHOWER.

=====
Physical/Chemical Properties
=====

Spec Gravity: 1.04

Solubility in Water: INSOLUBLE

Appearance and Odor: RED PASTE W/ACETIC ACID ODOR.

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: HEAT, HUMIDITY. MOISTURE WILL CAUSE PRODUCT TO CURE.

Materials To Avoid: STRONG ACIDS, BASES, OXIDIZING MATERIALS.

Hazardous Decomposition Products: COMBUSTION: OXIDES OF CARBON & SILICA

Hazardous Polymerization Indicator: NO

=====
Toxicological Information
=====

=====
Ecological Information

=====
=====
MSDS Transport Information
=====
=====

=====
=====
Regulatory Information
=====
=====

=====
=====
Other Information
=====
=====

=====
=====
HAZCOM Label
=====
=====

Product ID: 21512 RTV SILICONE RED GASKET 3 OZ TUBE
Cage: 05573
Company Name: BOWMAN DISTRIBUTION, BARNES GROUP INC
Street: 1301 EAST 9TH ST, SUITE 700
City: CLEVELAND OH
Zipcode: 44114-1824
Health Emergency Phone: 303-623-5716/216-391-7200
Label Required IND: Y
Date Of Label Review: 10/12/1999
Status Code: A
Origination Code: G
Hazard And Precautions: IRRITATION TO RESPIRATORY, EYES & SKIN.
=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.